

Orthopaedic Physiotherapy Department

Non Weight Bearing with Frame



This advice sheet is for patients who are having foot surgery, and who have been told they will be non-weight bearing afterwards.

This period of non-weight bearing (not putting weight through your operated leg) is necessary to provide time for proper bone and tissue healing, and also allows for any metalwork that was used during surgery to remain in the correct position. Good tissue/bone healing is improved by avoiding any undue stress.

What to expect after surgery

Pain

A patient's experience of pain varies a great deal. It is essential that you have regular and adequate painkillers so that you can begin to walk. Let the nursing staff know how you feel as they can vary your dosage, change your painkillers and give anti-sickness drugs.



Patient Information

Exercises

The success of your operation will often depend on the amount of effort you are prepared to put into your rehabilitation.

It is essential you do the recommended exercises three times per day to prepare yourself adequately for your surgery.

Walking non-weight bearing is difficult and therefore practicing walking/standing etc. **before** the operation should mean that you will spend less time in hospital.

Sit to stand



Stretch your operated leg out in front of you, and tuck your un-operated leg behind you.

Push down through your arms on the bed/arms of the chair and stand up to the frame, without putting your weight through your operated leg.

Reverse the process to sit.

Make sure you never pull up on the frame

Walking



Maintain your balance on the good leg and place the frame at a comfortable distance in front of you, making sure all the four feet are firmly on the floor.

Pushing down through your arms, hop into the middle of the frame; ensure you are well balanced, distributing the weight between your arms, frame and your good leg, before you take the next step. Make sure you do not put any weight through the operated leg.

Step up



Walk up as close as you can towards the step with the frame. Lift the frame onto the step, ensuring all four feet are on the step

Bend your operated leg behind you and push down through the frame, and lift your un-operated leg onto the step, ensuring you do not put any weight through the operated leg.

Patient Information

Step down



Walk up as close as you can towards the step with the frame. Lift the frame down to the floor, ensuring all four feet are firmly on the floor.

Straighten your operated leg out in front of you and push down through the frame, and lower your unoperated leg onto the step, ensuring you do not put any weight through the operated leg.

Going upstairs



Keep your injured leg off the floor, by bending your knee behind you. Push down on the crutches and step up with your good leg. Move your crutches onto the same step, ensuring you do not put any weight through the operated leg.

Going downstairs



Keep the injured leg off the floor in front of you, and place the crutch on the step below. Lower yourself down to the floor by putting your weight through the rail and crutch, ensuring you do not put any weight through the operated leg.

Single leg stand



Stand by your kitchen counter so you can hold on if needed, and stand on your un-operated leg.

Try to hold for 30 seconds, repeat three times

Single leg stand with eyes closed


Repeat above exercise with eyes closed

Patient Information

Single leg stand on a pillow

Repeat above exercise standing on a pillow. **Hold for 15 seconds five times**

Single leg squat



Stand on one leg with your foot facing forwards; bend your knee keeping your kneecap pointing forwards

Hold onto the kitchen side if needed

Repeat ten times

Discharge

Before discharge you will practice using walking aids and any other equipment you may need to use at home, to increase your confidence in using them independently.

You will need to arrange for someone to drive you home. You should try to have a friend or relative stay with you initially to help support you with making meals/shopping etc. It may be helpful to stock up on easy to prepare meals prior to admission.

Further Information

If you have any queries or concerns please contact:

Rugby Physiotherapy Orthopaedic Department Telephone: 01788 663054

University Hospital Coventry and Warwickshire Telephone: 024 7696 6013

The Trust has access to interpreting and translation services. If you need this information in another language or format, please contact 01788 663054 and we will do our best to meet your needs

The Trust operates a smoke free policy

Document History – Department: Orthopaedic Physiotherapy **Published:** December 2015 **Reviewed:** July 2019 **Review:** July 2022 **Version:** 2.2 **Reference:** HIC/LFT/1991/15