


Patient Information

Endoscopy Unit

Colon capsule endoscopy (CCE)



© Medtronic 2022. All rights reserved.

To help you prepare for this procedure/test, please read this information carefully and bring this booklet with you to your appointment.



Patient Information

This booklet aims to help you to make an informed decision about agreeing to have this investigation. Please make notes or write down any questions you may like to discuss/clarify with the colon capsule team before you sign the consent form on the day of the procedure.

The procedure you will be having is called a colon capsule endoscopy or colon capsule examination. There is no endoscope (flexible camera) used in the examination. This is an examination of your large bowel (colon) to look for any cause for your symptoms.

Why do I need to have a colon capsule endoscopy?

This test is usually done so we can look at your large bowel for symptoms such as a change in bowel habit or blood in poo with or without abdominal pain and/or anaemia.

What is colon capsule endoscopy?

You will swallow a small capsule with 2 cameras inside. This will provide us with images so we can look at the lining of your large bowel. This will help us to establish whether there is any growth (polyps/cancer), inflammation or other abnormalities to explain your symptoms.

This is an alternative test to colonoscopy or a CT colonography (CT scan). The disposable capsule camera is around the same size as of a large vitamin pill (32mm x 11mm). It contains two tiny video cameras which are powered by tiny batteries.

The capsule sends images to a recorder, which you will wear throughout the procedure. The disposable capsule camera can be easily swallowed with sips of water.

You will be asked to swallow the capsule after following a low residue diet for 5 days, and following a laxative regimen as explained later in this leaflet.

This capsule camera travels through the digestive tract, like your food would. As the capsule passes through the digestive tract, it takes

Patient Information

thousands of pictures of the lining of your bowel and sends them to a recorder connected with the Sensor Belt which you wear around your waist. The capsule is disposable and will pass out of your body after few hours, or rarely in couple of days with your poo.

Will it hurt?

The capsule camera can be swallowed easily by most patients. It has a smooth surface like capsules to avoid discomfort. You shouldn't feel any pain or discomfort when swallowing it, or while it moves through your bowel.

What to do when you have received your appointment letter

Check the appointment is convenient and that you will be able to get to the Endoscopy Unit and home again. If not, phone us on 024 7696 7361 or 024 7696 6755.

Notify us if you:

- Have problems with swallowing
- Have had previous abdominal surgery or radiation treatments
- Have Crohn's disease
- Have a cardiac pacemaker in place
- Take painkillers (NSAIDs) like diclofenac, ibuprofen, or naproxen on regular basis.
- Are on treatment for diabetes (insulin or tablets). We shall organise an alternative test for you.
- Are pregnant. The capsule endoscopy should not be performed during pregnancy.

As this is a teaching hospital, your procedure may be observed or assisted by trainee staff. Please let us know on your arrival if you do not wish to have trainees present.

Should your condition worsen before your endoscopy appointment, we advise you to contact your GP immediately.

Preparing for the investigations

Timetable summary for the procedure

One week before the test	5 days before the test	4 till 2 days before the test	1 day before the test	On the day of the test
<p>Stop iron tablets a week before the test if you are taking them</p>	<p>Start low residue diet</p> <p>Breakfast Lunch Dinner</p>	<p>Continue low residue diet</p> <p>Breakfast Lunch Dinner</p> <p>STOP taking any of the following medications:</p> <ul style="list-style-type: none"> • Codeine Phosphate • Tramadol • Imodium • Lomotil • Fybogel • Isphagula husk 	<p>No solid food Fluids only</p> <p>2pm: Moviprep sachet A+B in 1 litre of water</p> <p>7pm: Moviprep sachet A+B in 1 litre of water</p>	<p>6am small amount of clear fluids</p> <p>Attend Endoscopy Unit (UHCW)</p>

What is a low residue diet?

A low residue diet is made up of foods that are easily digested and absorbed. It is recommended before this test to help 'clear out' your bowel so we can get clearer images.

Patient Information

Low residue diet

Food type	Foods allowed	Foods to avoid
Meat and fish	Minced or well-cooked lean beef, lamb, ham, veal, pork, poultry, fish, shellfish	
Fruit and vegetables	Potatoes - boiled, creamed, mashed, or baked (no skins)	All other fruits and vegetables
Pasta and rice	Plain macaroni, spaghetti, noodles. Plain boiled white rice	Wholemeal pasta or spaghetti. Brown rice or vegetable rice
Cereals and bread	Cornflakes, crisped rice, white bread, teacakes/ plain bread rolls	Weetabix, bran, cereals, muesli, wholemeal granary Bread/ bread with seeds
Biscuits, pastries and puddings	Plain biscuits/crackers, plain scones, muffins, Yorkshire pudding, plain yogurt, jelly (not red coloured)	Wholemeal biscuits/ cakes. Seeded jams, fruit, or nut yogurts. Bread or cakes with fruit
Other	Eggs, cheese, sauce clear soup, treacle, margarine, boiled sweets, chocolate	Pickles, chutney, vegetable soups, jam with rind/pips

One day before your appointment

- **Fluids only**, no solid food

You should take clear fluids only such as tea or coffee with a small amount of milk, water, strained fruit juice, fruit squash, soda water, tonic water, lemonade, Oxo, Bovril, Marmite (mixed into weak drinks with hot water), clear soups and broths, consommé.

- **Fluids not allowed:**

Drinks or soups thickened with flour or other thickening agents.

Patient Information

In addition

On the day of your appointment

- Take your routine medication with small amount of water at 6:00 am.
- Wear loose fitting two-piece clothing
- Because the sensor belt must not be worn over synthetic fabric, you will need to wear an upper garment of thin, natural fibre cloth (cotton) that is long enough to reach at least to hip level
- Another layer of clothing such as sweatshirt, sweater, or jacket may be worn over the sensor belt
- Bring in any medications you are taking (including inhalers), or a list of their names
- Do not arrive too early for your appointment
- Do not bring any valuables or large amounts of cash with you

What happens when I arrive?

The capsule team will explain the procedure to you, and you can ask any questions that you may have. You will be asked to sign a consent form giving your permission to go ahead. This is to make sure that you understand the risks and benefits of the procedure.

The capsule team will give you a tablet called prucalopride 2mg, a laxative that helps speed up the stomach and bowels. You will wait 30-45 minutes before swallowing the colon capsule.

The capsule team will place a belt containing the radio sensors around your waist and the data recorder will be attached. This will remain in place for duration of the test. After these are fitted, the capsule team will instruct you to swallow the capsule camera with small amount of water and a tablet to improve your stomach movement. They will check the capsule progress via the data-recorder. Once they have ensured that equipment is functioning / recording as expected, you will be discharged home with some further advice relevant to your test.

You then need to return to the hospital the next day. The images from the data recorder will be processed and a video will be created and subsequently reviewed.

How long will I be in the Endoscopy Unit?

You should expect to be in the unit for approximately 1 to 2 hours. This largely depends on the time taken for admission, processing and setting up the equipment.

Alerts on your device and discharge advice

During your procedure, you may notice alerts on your data recorder, similar to the examples shown below. These alerts are a routine part of the process, but there's no need to worry or take any action at this point. With the improved booster for the procedure, following these alerts is no longer necessary. The capsule team will provide you with the necessary instructions on when to take your booster medication and how to silence the alerts. Please feel free to disregard the alerts and focus on following the discharge instructions given by the team.



Discharge instructions:

- Check the blue flashing Data Recorder light every 15 minutes. If it stops blinking or changes colour, note the time and contact us.
- Complete the Capsule Endoscopy event form recording the time of any event such as eating, drinking or changes in activity. Return the completed form together with the recorder belt to the Endoscopy Reception on the following day.
- Avoid strong electromagnetic fields, such as MRI scans or ham radios after swallowing the capsule and until you pass it in a bowel movement.
- Do not disconnect the equipment or completely remove the belt at any time during the procedure.
- Treat the Data Recorder carefully. Avoid sudden movements and banging of the recorder.
- Avoid direct exposure to bright sunlight.

Patient Information

Risks

Rarely, if there is no sign of capsule expulsion, an X-ray may be needed. Please inform your attending capsule team member if you have abdominal pain, nausea or vomiting during the procedure. A contact number will be recorded on the Capsule Endoscopy event form before you leave the hospital. There is a small additional risk of allergic reaction with laxatives during the procedure.

Also, if there is abnormality identified in the capsule video, further procedures might be required; for example, if large polyps are identified, a colonoscopy to remove the polyps.

When good views of the bowel have not been obtained due to various reasons, such as poor bowel prep or incomplete procedure from delayed capsule passage, alternative tests will be considered.

What happens if the pill camera does not pass through?

If the pill camera reveals Crohn's disease, treatment with anti-inflammatory medications may allow the narrowed part of the bowel to heal so that the pill passes by itself.

If the pill camera is at the extreme upper or lower end of the small bowel, it may be possible to retrieve it using an endoscope (gastroscope or colonoscope).

If the bowel is severely ulcerated, scarred, or blocked by a tumour, an operation might be needed, not only to remove the pill camera, but also to treat the disease.

If you require any further information or clarification, please contact Beibei Liu, Clinical Nurse Specialist Capsule Endoscopy Service, on 024 7696 7361.

Patient Information

After the procedure

Results

The images from capsule endoscopy will be uploaded onto a computer and the specialist will read and prepare the report. The report will be sent to your consultant, who in turn will discuss the results with you at your next outpatient appointment.

General points to remember

If you are unable to keep your appointment, please notify the Endoscopy department on **0247 696 6755** as soon as possible. This will enable us to offer the appointment to another patient.

Please note to ensure the privacy and dignity of other patients we do not allow friends or relatives into the clinical area of the department. Should you wish to remain with your friend or relative you may join them in the main waiting area.

We will aim to see you as soon as possible after your arrival. However, the department is very busy, and your investigation may be delayed.

The hospital cannot accept any responsibility for the loss or damage to personal property during your time on these premises.

The Trust has access to interpreting and translation services. If you need this information in another language or format, please contact us on 0247 696 6755 and we will do our best to meet your needs.

The Trust operates a smoke free policy.

Patient Information

Did we get it right?

We would like you to tell us what you think about our services. This helps us make further improvements and recognise members of staff who provide a good service.



Have your say. Scan the QR code or visit:

www.uhcw.nhs.uk/feedback

Document History

Department:	Endoscopy Unit
Contact:	26092
Updated:	September 2024
Review:	September 2027
Version:	4
Reference:	HIC/LFT/2572/21