

Patient Information

Arden Cancer Centre

Radiotherapy information for patients undergoing radiotherapy to the pancreas

What is radiotherapy?

Radiotherapy is the use of high-energy radiation to kill cancer cells in the treatment area. Radiotherapy can also damage normal cells in the treatment area. This can cause some side effects.

We plan radiotherapy very carefully to protect as much healthy tissue as possible and reduce these side effects. The tissues usually heal with side effects and symptoms improving over time.

Radiotherapy is delivered by highly trained staff called therapeutic radiographers. It is delivered on machines called linear accelerators.

Both male and female staff will treat you. We are a teaching hospital and have student radiographers on placement, who are supervised by trained staff.

For more information about radiotherapy and to watch our department video go to:-

<https://www.uhcw.nhs.uk/our-services-and-people/our-departments/radiotherapy/>



Patient Information

Consent forms

Before you have this procedure, you will need to sign a consent form. This indicates that:

- your doctor has explained the treatment procedure and any possible side effects to you
- you agree to go ahead with treatment

Pacemakers

If you have a pacemaker or implantable defibrillator, please tell your doctor and the radiographers before your first treatment. Treatment can alter the performance of your device. It may need testing before and after treatment is given.

Pregnancy

Tell a member of staff as soon as possible if you are pregnant or become pregnant at any time before or during your treatment. There is a significant risk to an unborn baby from radiotherapy.

For advice on contraception please speak to your consultant or GP.

Chemotherapy

Your doctor may also prescribe chemotherapy to be given during your course of radiotherapy. You will receive specific written information and give your consent separately. You usually need to have weekly blood tests when on chemotherapy and radiotherapy together. If you have not been advised about this, please ask.

What is treatment planning?

A period of planning or preparation is needed before your treatment can start. This is to allow:

- accurate “aiming” of the radiotherapy at the treatment area
- calculation of how to deliver the correct dose of radiation to the treatment area.

Patient Information

CT Planning scan

To treat you accurately and reduce side effects, your radiotherapy treatment must be carefully planned. This will involve having a CT scan in the radiotherapy department.

You will be asked to fast before the CT scan and each treatment. This will involve:

- having nothing to eat or drink for 2 hours before your appointment
- the radiographers will then ask you to drink 150mls of water about 15 minutes before your scan. You will be advised about this when you arrive for the appointment.

For the CT scan and later treatments, you will need to remove your clothing from your abdomen and chest. We will make every effort to keep you covered where possible. You might like to wear a small crop top which can be pulled down when needed. Gowns are available if you need one. Please ask if you are not sure.

It is very important that your chest and arms are in the same position for your CT scan and later treatments. You will be asked to lie on your back. You may be supported by moulded foam (called a vac bag) and arm supports during your planning scan and treatment.

After the CT appointment there will be a gap of 3 to 4 weeks before your treatment starts. During this time doctors, physics staff and radiographers are preparing your treatment.

Skin Marks

At the CT scan, you will have felt tip pen marks put on to your skin. These are used as a reference for the planning process and during treatment. With your permission, we can put tiny permanent dots of dye beneath the skin, called tattoos. These will not wash off. If we cannot do this, you will need to keep felt tip pen marks on your skin for all your treatment.

Patient Information

Contrast

Sometimes an intravenous contrast medium is used. This helps the radiographers, doctors, and physics team to see organs more clearly on the CT scan. This can be given by mouth, injected into a vein or both. You will be told if you need contrast and given information about it.

If you've had contrast before and had any reaction to it, please let your doctor, or the radiographers know. Contrast is only needed for treatment planning and not for daily radiotherapy.

Treatment

You will need to prepare for your treatment in the same way as your CT scan. You must:

- have nothing to eat or drink for 2 hours before your treatment.
- the radiographers will give you further advice about when to drink your water.

Radiographers will deliver the treatment as prescribed by your consultant.

You will need to remove the clothing from the treatment area. You will then lie in the same position you were in when you had your CT planning scan.

The radiographers will dim the lights and use laser lights to line up your tattoos. Once you and the treatment machine are in the correct position, the radiographers leave the room to switch the machine on. You need to lie quite still but can breathe normally.

During treatment, the machine will move around you, but nothing will touch you. You will not feel anything during treatment. The machine will make a buzzing noise.

The treatment times are very short. Images are taken before to check that the treatment is correct before it is given. The radiographers watch you all the time on a screen. They will turn the machine off and enter the room if you move or call for help. Most people will be in the treatment room for about 15 – 20 minutes.

Patient Information

Once the machine has switched off, there is no radiation present. You will not be radioactive and you are safe to be near children and pregnant women.

Your radiotherapy doctor will discuss with you the total number of treatments that you need and how often you will need to attend the department.

What are the side effects of Radiotherapy?

Treatment is painless but it can cause some side effects. Treatment affects people in different ways. It's difficult to predict which side effects will affect you and how severe they will be.

Side effects can be thought of as early (acute) and late (chronic).

Early or short-term side effects

These happen during your treatment and for several weeks afterwards.

Tiredness:

- Most people will feel tired because of radiotherapy treatment.
- Tiredness will often come on slowly as the treatment progresses. It may last for some weeks after the treatment has finished.
- If you feel tired, try to rest as much as you can. Research has found that gentle exercise such as taking a short walk can help with tiredness.

Nausea and vomiting:

- Radiotherapy can cause you to feel sick (nausea) and to be sick (vomiting).
- Anti-sickness medications can be prescribed to help with this.

Patient Information

Indigestion or heartburn:

- You may find it helpful to avoid hot or spicy foods and alcohol (particularly spirits).
- Medications can be prescribed to help with this.

Loss of appetite and weight loss:

- Some people find that radiotherapy can affect their appetite.
- Eating little and often can help to maintain your weight.

Effects on the bowel:

Some people may experience the following effects or changes to their bowels.

- A bloated, tender, painful or cramping feeling in your abdomen (tummy).
- An increase in the number of bowel movements.
- Loose stools, urgency and diarrhoea.
- If your bowels are loose, we may advise you to change your diet .
- Sometimes loperamide (Imodium) is needed to control diarrhoea, this can be prescribed for you.

If required, we can arrange for you to see a dietitian whilst you are attending for treatment. Dietitians can help with some of the side effects.

Effects on the skin:

These are usually minimal for this type of treatment but the following could occur:

- Radiotherapy may cause a skin reaction like exposure to the sun in the treatment area.
- Towards the end of treatment and the first 1 or 2 weeks after treatment, the skin may become red, dry and itchy.

We advise that you:-

- Wash the treated area daily with your usual soap or shower gel
- Use a soft towel to pat your skin dry

Patient Information

- Apply your usual moisturiser to the skin in the treatment area 2 or 3 times a day. Gently smooth it onto your skin until it is absorbed. Do not apply just before treatment.
- If you need to, ask your GP to prescribe a suitable skin moisturiser or discuss this with your treatment radiographers at the start of your radiotherapy. They may be able to give you a sample moisturiser to try.
- Avoid wearing tight clothes in the area being treated (cotton is a good natural fibre).
- Avoid shaving in the area being treated. If you must shave, use an electric razor for dry shaving only. When the skin becomes visibly red, stop shaving. No wet shaving, hair removal creams, lasers or wax should be used.
- Avoid any perfumes, aftershaves, or other creams in the treated area.
- Avoid the use of sun lamps, spray tans or skin colouring lotions.
- Avoid using hot water bottles or ice packs in the treatment area.
- Keep the treated area out of the sun during treatment. Take care in the future by using a high factor sun cream – factor 50 or above.

Hair loss:

- You will only lose hair in the treatment area.
- Hair loss can be permanent. Your consultant or a member of the team will be able to discuss this with you.

Pain:

- If you experience pains or discomfort, please tell the radiographers.
- Pain killers can be prescribed to make you feel more comfortable.

Late or long-term Side Effects

Late side effects can happen months or years after you have completed treatment:

Patient Information

- New onset diabetes or complications from existing diabetes.
- Difficulty digesting or absorbing nutrients from food.
- Bowel changes. These are rare but can include bleeding from the bowel, narrowing of the bowel and bowel perforation (a hole in the bowel).
- Reduced spleen function leading to an increased risk of infection.
- Skin colour changes in the treatment area.
- Ulcers and bleeding from the stomach.
- Very rarely a decline in kidney function
- Secondary cancers- There is a very small risk of developing a second cancer in the area treated in the years after treatment.

Please discuss any new symptoms you experience after your treatment with your consultant in the follow up clinic.

Contact the Macmillan information and support radiographer on 024 7696 7290, or your clinical nurse specialist if:

- you develop new symptoms after your treatment is over
- you are concerned that the immediate side effects are not getting better.
- You'd like more information

Treatment reviews

You may be booked in for a 'treatment review' at some point during your treatment. This review can be with a review radiographer, a doctor, or your specialist nurse.

At this review we'll discuss:

- any side effects that you may be experiencing because of your treatment
- any side effects that may happen as the treatment continues.

At these review sessions it is not usually possible to give you any information on how effective the treatment has been so far.

Patient Information

This is for 2 reasons:

- although we take pictures of the treatment area during your radiotherapy, they are to check the position of the treatment field. They are not detailed enough to show us how well the treatment is working.
- There is a delay in the way that radiotherapy works. So, the effects of treatment can't be assessed until a number of weeks after the treatment has finished.

After treatment

The side effects of treatment will continue for several weeks after treatment is complete. You will receive an appointment to see your consultant 4 - 6 weeks after finishing treatment.

If you have any problems with your radiotherapy treatment, contact the Macmillan information and support radiographers on 024 7696 7290.

If your call is urgent, please call your own GP, or contact the acute oncology team on 024 7696 4000 and ask for Bleep 1641.

Where is the Arden Centre?

The Arden Centre is part of University Hospital Coventry. The entrance to the Arden Centre is situated to the left of the main hospital entrance. Please ask staff, or visit the Hospital website for up-to-date maps and directions: www.uhcv.nhs.uk

How shall I travel?

By car

You can drive whilst having radiotherapy treatment unless you have been advised not to for another reason.

Sat Nav postcode: CV2 2DX

It can be very difficult to park at busy times, so please allow extra time. There are several visitor car parks across the site. There are also drop-off points near the Arden Centre and the main entrance. These allow 10

Patient Information

minutes of free parking. Disabled car parking facilities are located near the main entrance.

Charges apply in all car parks and Automatic Number Plate Recognition (ANPR) is live across all visitor car parks. This means that our car parks no longer issue tickets at barriers and instead read your number plate as you enter.

Payment is then required at one of the payment machines before exiting the car park and can be made using cash, card or contactless. Payment can also be made by telephone or online before midnight, see the trust website for details.

You are entitled to free parking whilst on radiotherapy treatment.

You will need to give your registration number to the Arden Centre receptionist on arrival. If you don't know your registration number, make a note of it or take a photo of the number plate.

Please note that free parking does not include

- clinic appointments
- counselling appointments

Public Transport

Many bus routes stop at the hospital. Buses drive onto the site and stop close to the main entrance. For more information about bus services visit:

The Transport for West Midlands website: <https://www.tfwm.org.uk/>

Hospital transport

Hospital transport is available for radiotherapy treatment, where there is a medical need. It may not be available for your CT planning scan or blood tests. It is not available for social or financial reasons.

You may not be entitled to hospital transport if you:

- receive Disability Living Allowance Mobility Component, or

Patient Information

- have a vehicle under the mobility scheme

If you need hospital transport and think you are eligible, you will need to book it yourself giving 48 hours' notice.

You will need to telephone:-

West Midlands Ambulance Service

01926 310312 (for bookings only)

01926 488410 (for queries on day of travel only)

Leicestershire Ambulance Service / Arriva / Ambuline

0845 2669 662

Worcestershire Acute Trust Transport Service

0300 0110017

In most cases you will not be able to bring anyone with you. Your transport will be booked to get you to the hospital for your appointment time, but this cannot be guaranteed. You will be treated as soon as possible after you arrive.

Patients will often have to wait at the Arden Centre to be taken home. For some time. This is due to demand on the hospital transport service. We advise that patients make their own travel arrangements where possible.

If you are relying on the hospital transport service, bring food, drinks and any medication that you may need. There is a refreshment kiosk available to buy snacks and drinks which is open from 10am-4pm.

Transport Schemes

Volunteer transport schemes are operating in some areas. These schemes may charge a mileage rate which varies. For more information, please ask to speak to the Macmillan information and support radiographers.

Travel costs

The NHS Hospital Travel Cost Scheme allows people in receipt of certain benefits or who are on a low income to claim back some of their travel costs. Please ask to speak to the Macmillan information and support radiographers for more information.

Prescriptions

All cancer patients are entitled to free prescriptions. If you need an exemption card, please ask a member of staff about how to apply.

Appointments

The department is usually open Monday to Friday, 9am – 5pm. It's closed at weekends and on public holidays.

You will be given a written appointment schedule on the first day of treatment. Please check these dates. Notify your treatment radiographers as soon as possible if you need to change any dates or times. We'll try our best to give you times that you prefer, but this cannot be guaranteed.

If you are having chemotherapy alongside radiotherapy, we will try to manage appointments appropriately.

Radiotherapy treatment machines are very complex. They are maintained by a team of in-house physicists and technicians. Delays in treatment can happen due to machine breakdowns and servicing.

There may be breaks in treatment due to public holidays and machine maintenance. We may ask some patients to come in on these days for treatment. A different treatment machine could be used.

It is not advisable for you to miss any other appointments. If this is unavoidable, please talk to the radiographers treating you.

Patient Information

We need to have a contact telephone number for you. We may have to call patients about appointments or with other information at short notice. If your telephone is set to stop incoming calls from withheld numbers, please give us a different telephone number.

Counselling

A counselling service is available at the Arden Centre. For more information, speak to your specialist nurse, doctor, radiographer, or telephone 024 7696 7478.

Useful telephone numbers:

Arden cancer centre reception: 024 7696 7272

Mon – Fri 9am to 5pm

Macmillan information and support radiographers: 024 7696 7290

Monday – Friday 9am to 5pm

Appointment enquiries: 024 7696 7493

Acute Oncology (24-hour emergency advice only)

024 7696 4000

Further information:

Cancer Information Centre 024 7696 6052

We can offer free support, practical advice and information to anyone affected by cancer. No appointments are required and an answering machine facility is available. The Centre is located on the ground floor in the main entrance.

Open Monday to Friday 9am to 4pm.

NHS advice - use the 111 service

Macmillan Cancer Support: 0808 808 00 00

www.macmillan.org.uk

Patient Information

Cancer Research UK:

www.cancerresearchuk.org

Patient Satisfaction

We hope that you have found this booklet helpful. We welcome your comments on the care that you experience and the service that we offer within the Arden Cancer Centre.

We ask that specific complaints be addressed to a member of staff. This is so they can be dealt with quickly and efficiently in line with University Hospitals Coventry and Warwickshire NHS Trust's complaints policy.

Written by Julia Biggs & Alison Crichton (Macmillan information and support radiographers)

With help and advice from the medical staff of the Arden Cancer Centre, University Hospitals Coventry & Warwickshire NHS Trust, Coventry CV2 2DX

The Trust has access to interpreting and translation services. If you need this information in another language or format, please contact 024 7696 7290 and we will do our best to meet your needs.

The Trust operates a smoke free policy. Help to stop smoking can be obtained from your local NHS Stop Smoking Service: 0300 123 1044

Did we get it right?

We would like you to tell us what you think about our services. This helps us make further improvements and recognise members of staff who provide a good service.

Have your say. Scan the QR code or visit:

www.uhcw.nhs.uk/feedback



Patient Information

Document History

Department:	Oncology
Contact:	27290
Updated:	February 2024
Review:	February 2025
Version:	1
Reference:	HIC/LFT/2837/24