

Head and Neck

Fibular free flap

This leaflet aims to explain any forthcoming treatment and answer many of the commonly asked questions. If you would like more information, please ask.

What is a fibular free flap?

A fibular free flap is one way of filling a bony hole in either the upper or lower jaw. It is one of the common ways of replacing bone that has been removed during cancer treatment.

What does surgery involve?

Your surgeon will remove one of the bones from the lower part of your leg. The fibular bone runs on the outside of the leg from the knee joint to the ankle joint. It is a small thin bone that can be entirely removed without affecting your ability to bear weight.

The fibular bone is removed (the flap) along with two blood vessels, one of which supplies blood to the flap (the artery) and one of which drains blood from the flap (the vein). Once the bone is raised, it is transferred to the head and neck and secured in position with small plates and screws. Using a microscope, the blood vessels supplying and draining the flap are then joined to blood vessels in your neck. These blood vessels then keep the flap alive while it heals into its new place.

What will my leg be like afterwards?

Your leg will be placed in a bandage for a week following surgery. Occasionally, it is necessary to remove a piece of skin in addition to the



Patient Information

fibular bone. If the piece of skin that is removed is large, it will need to be replaced with a skin graft.

What can I expect after the operation?

The area of your leg where the bone has been removed is likely to be sore. Regular painkillers will be arranged for you. A small tube (drain) is also placed through the skin into the underlying wound to drain any blood that may collect. This is usually removed after a few days.

Will I have a scar?

All cuts made through the skin leave a scar, but most of these fade with time. The scar on the outside of your leg runs from just below the knee joint to just above the ankle joint.

What are the possible problems?

There are risks with any operation. Fortunately with this type of surgery, complications are rare, but it is important that you are aware of them and have the opportunity to discuss them with your surgeon.

- **bleeding** – a “drain” is inserted into the wound, so bleeding is unusual
- **infection** – you will be given antibiotics through a vein whilst you are asleep and for the first few days after surgery - as a result, infection is not normally a problem
- **numbness** – sometimes you may notice a small patch of skin on the lower part of your leg or foot that is numb or tingly after the operation – this numbness may take several months to disappear, and in a minority of patients it can be permanent.

Flap failure

In 2 to 5% of cases, one of the blood vessels supplying or draining the flap can develop a blood clot within it. This means that the flap doesn't get any fresh blood, or if the drainage vein clots, then the flap becomes very congested with old blood. This usually happens within the first two days and means that you will have to return to the operating theatre to have the clot removed. Removing the clot is not always successful, and on these occasions where the flap “fails”, an alternative method of reconstruction is sought.

Will my walking be affected?

In the long-term, removing the fibular bone should produce no problems in walking. You will be on bed rest for a day or two after surgery. Soon after this, hopefully you will be sitting out in a chair. With the help of physiotherapists, you will start to walk at the end of the first week.

By the end of the second week, you should be walking near enough normally and climbing stairs. Very occasionally, you may need to use a walking aid (such as a stick) for a further week or so.

Contact details

A nurse will talk to you about what to expect after your operation.

If you have questions or concerns, please contact your Macmillan Head and Neck Clinical Nurse Specialists on 024 7696 6452

Further information

Cancer Information Centre: 024 7696 6052

Our cancer information specialist can offer free support, practical advice and information to anyone affected by cancer. No appointments are required, and an answering machine facility is available. The Centre is open Monday to Friday 9am to 4pm and is located on the ground floor in the main entrance.

This leaflet is based on information provided by BAOMS (British Association of Oral and Maxillofacial Surgeons).

The Trust has access to interpreting and translation services. If you need this information in another language or format, please contact 024 7696 6452 and we will do our best to meet your needs.


The Trust operates a smoke free policy.

Did we get it right?

We would like you to tell us what you think about our services. This helps us make further improvements and recognise members of staff who provide a good service.

Have your say. Scan the QR code or visit:

www.uhcw.nhs.uk/feedback



Document History	
Department:	Head and Neck
Contact:	26452
Updated:	October 2022
Review:	October 2024
Version:	4
Reference:	HIC/LFT/1938/15