

Orthoptic Department

Going home after squint surgery for children

This leaflet aims to give parents and carers information about caring for a child recovering from squint surgery

Important:

Although your child may be going home on the same day as their operation, please remember that they have had major eye surgery.

Children may refuse to open their eyes for long periods during the first 24 hours; this is nothing to worry about.

Glasses

Your child should continue to wear their glasses unless directed otherwise.

Pain

Your child may experience some discomfort. Medications such as paracetamol / ibuprofen can be given unless any health problems prevent this. Please ask for advice if you are not sure.

Contact the hospital if:

- Your child's eye becomes more painful or red than on the day you took them home.



Patient Information

- If your child is bleeding from the eye.
- You child's eye develops a sticky discharge.
- You notice your child's eye lids are swollen.

Contact numbers:

Surgical Day Unit		024 7696 6868
Ward 16		024 7696 8224
Miss Kasbekar's secretary	(8.00am - 4.00pm)	024 7696 6519
Mr William's secretary	(8.00am - 4.00pm)	024 7696 6519

In case of an emergency, which would be sudden loss of vision or severe pain, please contact the Eye Casualty Department, (EERS) (Clinic 9) University Hospital Coventry.

Eye Casualty Telephone Triage Tel: 024 7696 4800

Open from:

Monday to Friday 9.00am – 5.00pm

Saturday 9.00am – 12.00pm

Cleaning the right / left eye

- Wash your hands
- Add a teaspoon of salt to a pint of cooled boiled water.
- Dip cotton wool into the water and squeeze to remove the excess solution.
- Wipe the eyelids gently from the bridge of the nose outwards. Discard after each wipe.
- Repeat until the eye lids appear clean.
- Wash your hands.
- Put in the drops as instructed.

Patient Information

Eye Drops: right Eye / left Eye

Important:

- All the Eye Drops start the next morning after the surgery.
- The eye drops may make your child's eye sting for a short time as they are put in.

You will receive guidance about the eye drops from the staff. The chart below will help to remind you when to put your child's drops in.

Medication Name	8 AM	10 AM	12 NOON	2 PM	4 PM	6 PM	8 PM	10 PM

Follow up

You will be given an appointment for your child to attend the Orthotic Department within two weeks. If you have any questions please make a list and bring it with you.

After surgery

- The eye that has been operated on may look red or pink. The eye will be particularly red for the first four to five weeks.
- The eye may feel uncomfortable and gritty but not deeply painful.

Patient Information

- Both eyes may water for the first week.
- Your child may complain of double vision.
- Your child should take things easy and slowly build up to a normal activity level over the next two weeks.
- Some activities may result in a sore eye such as watching TV or playing computer games. Sensible limitation of these activities should reduce the problem.
- Please follow any specific guidance from your Orthoptist.

What you child should avoid during the first four weeks

- Rubbing your eye
- Splashing water in your eye
- Strenuous exercise
- Swimming
- Smoke, dust or fumes
- Eye make-up
- To avoid getting soap in the affected eye, back wash your child's hair

Returning to school

Your child should remain off school until after the first post-operative visit, which is usually during the week after the operation. Sometimes a further week off school is required if the wound has not sufficiently healed

General Practitioner

You will be given a letter to take to your GP, or if you are unable to deliver it, we can post it for you.

The Trust has access to interpreting and translation services. If you need this information in another language or format please contact 024 7696 6520 and we will do our best to meet your needs.

The Trust operates a smoke free policy.

Patient Information

To give feedback on this leaflet please email feedback@uhcw.nhs.uk

Document History

Department: Orthoptics

Contact: 25421

Updated: July 2022

Review: July 2024

Version: 5.2

Reference: HIC/LFT/291/06