

## Plastic Surgery

### Leech therapy

Medicinal leeches have been used widely throughout history from ancient times through to the 20<sup>th</sup> century. They were used for bloodletting, which was believed to be a cure for a wide range of ailments including headaches, gout, bruising, brain disorders and much more.

The advances in plastic and reconstructive surgery and a clearer understanding of the beneficial chemical compounds found in leeches has prompted a revival in the effective use of leeches in these areas.

#### What is leech therapy

Modern leech therapy is used in areas such as microsurgery, plastic and reconstructive surgery, cardiovascular disease, and dermatology.

Leeches are worm-like organisms which are applied to the wound area. Here, their blood-sucking action is used to increase circulation, improve blood flow and speed healing.

The leech produces a number of beneficial chemical compounds useful in medicine including:

- a local anaesthetic
- a blood thinner (anticoagulant) which open the blood vessels, increases the blood flow and prevents clotting
- a chemical to reduce swelling
- an antibiotic that kills other harmful bacteria, and therefore aids wound healing



## Patient Information

Leeches for medical use today are specifically bred under sterile conditions at a leech farm in Wales.

### **Why is it used in plastic surgery?**

After tissue transfer or reattachment, the blood supply to that area may become thick and congested. This can cause loss of part or all of the reconstructed area.

A leech or leeches may be placed in the area. By draining away small amounts of blood, the leech can relieve the congestion, keeping the blood flow going.

### **What will happen**

If an assessment of your wound suggests you would benefit from this treatment, we will discuss the process and possible risks and complications with you. You will be asked to give your verbal consent.

A doctor or nurse will apply the leech to the area, and a member of staff may sit with you during this time if needed. The area can be covered so that you do not have to see the leeches if you prefer. Each treatment usually takes between 30 to 60 minutes.

Bleeding continues when the leech or leeches are removed so that the blood vessels are constantly flowing free from congestion. We may need to apply a leech or leeches several times a day to make sure this flow continues.

### **Complications**

Leech therapy is usually a very safe procedure, but possible complications include:

- Local infection around the wound site. You will be closely observed for signs of this.
  - While undergoing leech therapy you will be given a course of oral antibiotics to reduce the risk of infection.

## Patient Information

- Prolonged bleeding. Your haemoglobin levels will be checked with regular blood tests.
  - If you haemoglobin drops very low or you develop symptoms related to low haemoglobin, a blood transfusion may be recommended and discussed with you.
- Allergy


If you need more information about this treatment, please speak to a member of the ward staff.

The Trust has access to interpreting and translation services. If you need this information in another language or format, please contact us on 024 7696 5225. We will do our best to meet your needs.

The Trust operates a smoke-free policy.

### Did we get it right?

We would like you to tell us what you think about our services. This helps us to make further improvements and to recognise members of staff who provide a good service.



Have your say. Scan the QR code or visit:  
[www.uhcw.nhs.uk/feedback](http://www.uhcw.nhs.uk/feedback)

#### Document History

Department:	Plastic Surgery
Contact:	25225
Updated:	June 2024
Review:	June 2027
Version:	6
Reference:	HIC/LFT/1179/11